




Business Process
TECHNOLOGIES

Karyna Vyshemirskaya



@vishemirskaya

«Life Expert Profi» *Passive BRT, Bioresonanse contact therapy*



HOW IT WORKS?

Each organ or system has its own specific oscillatory parameters.


When a pathology takes place appear segments of disharmonious vibrations (oscillations of the disease) in our body. These pathological segments begin to connect other body tissues and organs to themselves and in this way to depress the segments of normal oscillations (health oscillations).



HOW IT WORKS?

In order to return the right oscillations it is enough to restore the oscillatory background. That is why the therapy with passive bioresonance (BRT) is carried out.

How it works? The parameters of the person's own signals are taken, a certain filtering of these signals takes place in the device, (it is called inversion). Abnormal vibrations fade away and the physiological increase, we send them to our body through the electrodes, which helps the body to restore the natural parameters of homeostasis and to increase adaptation reserves.



4 GENERAL MERIDIANS


- ❑ **1st type of the autonomic nervous system** – increase in the tone of the parasympathetic nervous system **VERTICAL MERIDIAN**; duration 2 - 3 minutes
- ❑ **2nd type of autonomic nervous system** - eutonia **HORIZONTAL MERIDIAN**; duration 3 - 4 minutes
- ❑ **3d type of the autonomic nervous system** - increase in the tone of the sympathetic nervous system; **CIRCULAR MERIDIAN** duration 4 - 5 minutes
- ❑ 4 in case you don't know the type of the patient's nervous system use **DIAGONAL MERIDIAN**; duration 3 minutes
- ❑ Duration for CHILDREN **1 MINUTE**; ELDERLY PEOPLE **5 - 7 MINUTES**


12 Chinese meridians

- 1 Lungs meridian (P)
- 2- Colon meridian (GI)
- 3- Stomach (E)
- 4- Pancreas - spleen (Rp)
- 5- Heart (C)
- 6- Small intestine (Ig)
- 7- Mer. of bladder (V)
- 8- Mer. of kidneys (R)
- 9- Vascular (pericardial) (Mc)
- 10- Endocrine mer. (Tr)
- 11- Mer. of gallbladder (Vb)
- 12- Liver meridian (F)

8 Voll meridians

- 1- Mer. of tissue-connective degeneration (Cd)
- 2- Mer. of skin degeneration (S)
- 3- Nervous degeneration (Nd)
- 4- Mer of vascular parenchymatous organ (PD)
- 5- Allergy (AI)
- 6- Lymphatic (Ly)
- 7- Joints Degeneration (Ad)
- 8- Mer. of fat degeneration (Fd)





EFFECT OF SUMMATION


The only contraindications are a pacemaker and transplanted organs

PASSIVE BRT EFFECT OF SUMMATION

1st session the effect lasts 1 day

2nd session – the effect lasts 3 days

3rd session – the effect lasts up to 10 days



GENERAL MERIDIANS

VERTICAL THERAPY - goes between 12 segments with this therapy working with hypo function.

- dystonia of hypotonic type
- dominance of the parasympathetic nervous system (all indicators are blue)
- with depression in the upper parts of the sympathetic nervous system and expression of the lower parts (organs above the diaphragm are blue; organs below the diaphragm are red).

HORIZONTAL THERAPY - goes between horizontally closed pairs of electrodes, 6 segments are involved, if there is an acute spasmodic pain

- with bronchopulmonary pathology
- vertebral and joint pain
- with absolute predominance of the sympathetic part of the central nervous system (all indicators are red)
- to align the SD (side difference)

GENERAL MERIDIANS

CIRCULAR THERAPY - goes in a circle of closed electrodes 6 segments participate in one direction only. With the help of this therapy we work with hyper function.

- in the absence of regularities in the change of indicators (the presence of SD)
- in the presence of hyper function
- in skin diseases and reactions (itching, rash)

**NEVER APPLY CIRCULAR THERAPY WHEN 1 AND 2 SEGMENTS OF ORANS
DIAGRAM HAS HYPERFUNCTION (HAS A YELLOW, ORANGE, RED COLOR)
!!!!!!!!! USE DIAGONAL THERAPY.**

DIAGONAL THERAPY goes between 12 segments. It is used when it is not necessary to cause an aggravation. It is used when there is both hyper and hypo function.

- the most gentle and harmonizing mode
- pain syndrome in the heart
- hypertension syndrome
- dystonic indicators

HOW TO CREATE THE PROGRAM WITH ACUTE PROCESS (INFLAMMATION)

We should work with

1 or 2 general meridians
8 Voll meridians or 4 classical meridians

The therapy can be held in 3 ways:

- ☐ Uninterruptedly until the clinical symptoms disappear from 1 to 3 hours
- ☐ Short, but frequent 5 or 6 times a day; session time 21-25 minutes
- ☐ Short frequent during 21 minutes rest 7 minutes 3 times in a row

Drink a glass of water after each session.

At the moment we can choose up to 5 meridians at the same time and the maximum duration is 20 minutes. However it will be prolonged in future. Now do 1 Voll meridian, 1 general, meridian and 3 classical and use it for 19 minutes.



HOW TO CREATE THE PROGRAM DURING THE CHRONIC PROCESS

4 Classical meridians (Chinese)

1- Voll meridian

1- General meridian

Type of autonomic nervous system - eutonia

Session duration 21- 25- 31 minutes.

1 time per day or every other day

Course 11 sessions

1 - 2 starter session

3-4 session aggravation

5-6 session leaving aggravation period

7-8 session therapeutic effect

9-11 session fixation of the result



HOW TO CREATE THE PROGRAM DURING THE CHRONIC PROCESS

Type of the autonomic nervous system – increase in the tone of the parasympathetic nervous system

Session duration 31- 35- 41 minutes; they feel
aggravation at the fifth session so at least we should
do for him at least 15 sessions. If he can't do 15
sessions he should not even try!

Every day or every other day

Type of the autonomic nervous system - increase in the tone of the sympathetic nervous system

Session duration up to 19 minutes course of 11
sessions

Every day or every other day

Not odd number of sessions and
odd number of minutes is
the law of interinterference



RULES

- ❑ Do therapy no more than 3 minutes on tight organs.
- ❑ Do not take to work at all with: heart, liver, kidneys. Take their pair organ: A pair of heart - small intestine; a pair of liver - the gallbladder; kidney pair - bladder. If you really need to use them, then do that at the 5th session of therapy for only 1 minute.
- ❑ A sick organ (heart, liver or kidneys) is not taken to work, its pair is taken.
- ❑ If you want to do an automatic compilation for BRT and on the first session heart, liver or kidneys were chosen by the device, please change their therapy time for 0,5 minutes



Lymphatic meridian (Ly)

Paired meridian of the kidneys. Is used for exogenous and endogenous lymphatic congestion:

- chronic inflammatory processes
- helminthic, protozoa infections
- chronic viral infections
- virus carrier
- immunodeficiency
- edema syndrome
- metabolic disorders
- pathologies of the respiratory tract in gynecological diseases
- ENT pathology

Lungs (P)

Paired meridian - colon. Indications for use:

- all diseases of the lungs and upper respiratory tract, accompanied by cough, shortness of breath, suffocation, sputum and other symptoms
- diseases of the cardiovascular system with symptoms of stagnation
- allergic diseases
- skin diseases
- kidney disease
- neurosis
- consequences of a stroke
- pain along the meridian
- diseases of teeth, gums

Colon meridian (GI)

Paired meridian - lungs. Used to treat:

- diseases of the large intestine and other parts of the gastrointestinal tract accompanied by flatulence, diarrhea, gastritis
- peptic ulcer and 12 duodenal ulcer
- pathologies of the urinary tract
- gynecological diseases
- chronic colitis and constipation
- diseases of the nasal mucosa and paranasal sinuses
- bronchopulmonary pathologies
- detoxification (endogenous, in renal pathology, diathesis, allergies, dermatitis)
- skin diseases, rashes, dermatitis
- headache
- noise in ears
- triple nerve neuralgia
- neuritis of the facial nerve

Nervous degeneration (Nd) meridian

Paired meridian – stomach. Used to treat:

- vegetative dystonia
- hypothalamic syndrome
- diabetes mellitus type 1 and 2
- migraine
- state of stress
- sleep pathology
- diseases of the stomach
- spasmalgia

- reflux esophagitis
- dyscirculatory encephalopathy
- polyneuropathy
- arrhythmia syndrome
- joint pain
- sweating
- polyuria
- flatulence
- psychosomatic pathology

Vascular meridian (Mc) (pericardial)

(paired meridian - heart) Used to treat:

- | | |
|--|---|
| <ul style="list-style-type: none">- vegetative dystonia- dyscirculatory and post-traumatic encephalopathy- consequences of cerebral blood flow disorders- diabetes mellitus type 1 and 2- headaches- arterial hypertension- kidney disease- vascular pathology of vision, hearing | <ul style="list-style-type: none">- chronic infections- sweating- polyuria- venous disease- asthenic, anxious and manic state- emotional lability- neurosis- bronchial asthma, laryngitis- gastralgia- violations of the menstrual cycle- impotence |
|--|---|

Allergy (AI) meridian

Paired meridian – bladder. Used to treat:

- skin diseases rash dermatitis
- migraine syndrome
- vegetative dystonia
- sweating
- psoriasis
- urogenital pathology
- respiratory allergies
- food allergies
- capillaropathy

Mascular parenchymatous organs (PD) meridian

Paired meridian - pancreas – spleen. Used to treat:

- psychosomatic pathology
- degenerative diseases of the mucous membranes
- chronic diseases of parenchymal organs (cellular phase)
- chronic tonsillitis, adenoid vegetation, polyps of the paranasal sinuses
- inflammatory processes in the organs of the endocrine system (thyroidin, pancreatitis).

Endocrine (Tr) meridian

Paired meridian - small intestine. Used to treat:

- ☐ cardio psychoneurosis
- dyscirculatory and post-traumatic encephalopathy
- the consequences of the transferred cerebral circulatory disorders
- hypothalamic syndrome
- thyroid dysfunction (hypothyroidism, hyperthyroidism)
- psoriasis
- metabolic diseases (obesity, atherosclerosis)
- cystic processes of the ovaries
- diabetes mellitus type 1 and 2
- alcoholism
- chronic infections
- premenstrual syndrome
- neuritis of the auditory nerve, hearing loss
- diseases of the joints to the march of meridian

Heart (C) meridian

Paired meridian - vascular (pericardial). Used to treat:

- pancreas
- small intestine
- diseases of the mucous membranes of the nose, mouth, paranasal sinuses
- diseases of the nervous system, accompanied by emotional lability

Small intestine (Ig) meridian

Paired meridian - heart. Used to treat:

- diseases of the liver, gallbladder
- pancreas
- pathology of the stomach (gastritis, peptic ulcer, impaired acidity)
- diseases of the small intestine
- immunodeficiency states
- diseases of the auditory nerve
- diseases of the paranasal sinuses (sphenoid)
- diseases of the shoulder, elbow, wrist.
- diseases of the outer ear
- dyspepsia
- thyroid dysfunction (hypothyroidism, hyperthyroidism)
- heart disease
- absorption pathology, fermentopathy
- psoriasis, eczema, neurodermatitis, allergic dermatitis, diathesis, rashes
- prevention and diseases of skin appendages (hair, nails, teeth)

Pancreas-spleen (Rp) meridian

Paired meridian - vascular parenchymatous organs. Used to treat:

- chronic inflammatory processes of organs and tissues
- immunodeficiency
- heart disease
- diabetes mellitus type 1 and 2
- pathologies of the stomach (gastritis, peptic ulcer, impaired acidity)
- metabolic diseases (atherosclerosis obesity)
- osteochondrosis, spondylarthrosis
- myofascial syndrome
- psoriasis
- detoxification with exo- and endotoxins
- alcoholism
- eye diseases
- gynecological diseases
- violation of the menstrual cycle
- diencephalic syndrome

Liver (F) meridian

(Paired meridian - fat degeneration. Used to treat:

- gallbladder
- detoxification of exo- and endotoxins
- alcoholism
- fatty degeneration of the liver - allergic dermatitis, diathesis (rash, itching)
- with a shortage of vital energy
- the predominance of the parasympathetic division of the central nervous system (all indicators are blue)
- heart disease
- pancreas pathology, fermentopathy
- gynecological diseases
- violation of the menstrual cycle
- diencephalic syndrome

Joints Degeneration (Ad)

Paired meridian – gallbladder. Used to treat:

- viral hepatitis
- pancreatitis
- gallbladder disease
- diseases of the genitourinary system
- inflammatory and degenerative diseases of the joints
- osteochondrosis, spondyloarthrosis

Stomach (E) meridian

Paired meridian - pancreas – spleen. Used to treat:

- ulcerative processes of the stomach and duodenum
- chronic hippo acid gastritis
- chronic tonsillitis
- mastopathy
- pancreas diseases
- thyroid diseases
- large intestine
- obliterating endarteritis
- biliary dyskinesia
- chronic cholecystitis
- adrenal dysfunction
- vegetative dystonia
- chronic colitis
- violation of lymphatic drainage from the lower extremities

Tissue-connective degeneration (Cd) meridian

Paired meridian – lungs. Used to treat:

- lungs
- soldering processes of any localization
- autoimmune processes
- after operational states
- benign neoplasms
- adenoids
- polyps, papillomas
- rheumatoid processes
- tonsilic polyarthritis

Skin degeneration (S)

Paired meridian – colon. Used to treat:

- lung diseases
- large intestine
- pancreas
- allergies
- edema syndrome
- skin rashes
- itching
- enteropathy

Fat degeneration (Fd) meridian

Paired meridian – liver. Used to treat:

- diseases of the liver and bile ducts
- Alzheimer's disease
- migraine
- diseases of the pancreas, fermentopathy
- atherosclerosis
- violations of fat and cholesterol metabolism

Gallbladder (Vb) meridian

Paired meridian – liver. Used to treat:

- diseases of the central nervous system
- eye diseases
- pathologies of the stomach
- articular pathology
- sleep disorders
- vegetative dystonia
- pancreas pathology
- liver diseases
- biliary dyskinesia

Kidneys (R) meridian

Paired meridian – bladder. Used to treat:

- kidney pathology
- metabolic disease
- adrenal pathology
- diseases of the urinary tract
- hair loss
- diseases of the rectum
- pathologies of the lumbosacral spine
- vegetative dystonia
- edema syndrome
- detoxification of exo- and endotoxins

Bladder (V) meridian

Paired meridian – kidneys. Used to treat:

- pathologies of the central nervous system
- paranasal sinuses (front)
- urogenital system u
- endocrine system
- vegetovascular dystonia - edema syndrome
- lumbosacral spine
- stomach
- osteochondrosis, spondyloarthrosis



Business Process
TECHNOLOGIES

WebWellness

— Within a minute the **Life Expert** device measures all the indicators of natural bio systems, and with the help of a computer program sends them to a powerful server and transmits the result



Due to the test results an **automatic individual complex** is loading into your Life Balance device

Thank you for attention



Business Process
TECHNOLOGIES

Karyna Vyshemirska

phone: +34643383450

email: karina.vishemirskaya@gmail.com



@vishemirskaya